

Subject Index

Volume 48 (1988)

- 3 β -acetoxy lanost-8-en-24-one, 24-ketolanosteryl acetate, lanost-8-en-3-ol-24-one, 24-ketolanosterol, oxysterol, oxylanosterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255
- bicyclo ketal, boron trifluoride, cyclization, 2,2'-oxirane, epoxy, fatty esters, tetrahydropyran, 77
- bile salt, calcium palmitate precipitation, 231
- bimolecular lipid membrane, herbicide, mode of action, 91
- boron trifluoride, cyclization, 2,2'-oxirane, epoxy, fatty esters, tetrahydropyran, bicyclo ketal, 77
- ¹³C-enriched cholesterol oleate, tritium-labeled cholesterol oleate, high-performance liquid chromatography, ¹³C-nuclear magnetic resonance, 147
- ¹³C-nuclear magnetic resonance, ¹³C-enriched cholesterol oleate, tritium-labeled cholesterol oleate, high-performance liquid chromatography, 147
- calcium palmitate precipitation, bile salt, 231
- chain packing, lipid X, thermodynamic properties, magnetic resonance techniques, micelle size, effects of pH and ions, 267
- chemiluminescence, lipid hydroperoxide, luciferin, lipid peroxidation, site-specific reaction, 197
- cholecalciferol, phospholipids, differential scanning calorimetry, head groups structure, thermodynamic model, 69
- cholesterol, marine invertebrates, sponges, phospholipids, (6Z,9Z)-6,9-hexacosadienoic acid, phase transition, 109
- chylomicrons, 15-ketosterol, metabolism, 29
- crystal structure analysis, 1,2-diglycerides, molecular conformation, 19
- cyclic fatty acid monomers, synthesis, GC-MS, 119
- cyclization, boron trifluoride, 2,2'-oxirane, epoxy, fatty esters, tetrahydropyran, bicyclo ketal, 77
- cyclosporin A, liposomes, dimyristoylphosphatidylcholine, phase transition, 1
- deoxy-headgroup analogues, synthesis, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol), 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-propanol, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol-3'-phosphate), 177
- deuterium, pristanic acid, Favorsky, quantitation, GCMS, phytanic acid, 141
- differential scanning calorimetry, electron spin resonance, low-density lipoproteins, 135
- differential scanning calorimetry, phase diagrams, homologous cephalines, mixing behaviour, miscibility gap, 245
- differential scanning calorimetry, phospholipids, cholecalciferol, head groups structure, thermodynamic model, 69
- differential scanning calorimetry, thermotropic phase behavior, polymerizable, tubule-forming phospholipid, 215
- 1,2-diglycerides, crystal structure analysis, molecular conformation, 19
- dilauroylphosphatidic acid, surfactant lipid-membrane interaction, vesicle, phase transition, 189
- dimyristoylphosphatidylcholine, liposomes, cyclosporin A, phase transition, 1
- 2,4-dinitrophenylhydrazide, ganglioside, high performance liquid chromatography, plasma desorption mass spectrometry, proton magnetic resonance spectrometry, 261
- 1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, palmitic acid, X-ray diffraction, phase transition, phase diagram, metastability, 205
- 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol-3'-phosphate, deoxy-headgroup analogues, synthesis, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol), 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-propanol, 177
- 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol), deoxy-headgroup analogues, synthesis, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-propanol, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol-3'-phosphate, 177
- 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-propanol, deoxy-headgroup analogues, synthesis, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol), 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol-3'-phosphate, 177
- effects of pH and ions, lipid X, thermodynamic properties, magnetic resonance techniques, micelle size, chain packing, 267
- electron spin resonance, differential scanning calorimetry, low-density lipoproteins, 135
- electron spin resonance, glycosaminoglycan, low density lipoprotein, fluorescence, liposome, 83
- epoxy, boron trifluoride, cyclization, 2,2'-oxirane, fatty esters, tetrahydropyran, bicyclo ketal, 77
- 9,12-epoxyoctadeca-9,11-dienoic acid, *erythro*-9,10-dihydroxy-12-oxooctadecanoic acid, furanoid fatty acid, potassium permanganate oxidation, 289
- erythro*-9,10-dihydroxy-12-oxooctadecanoic acid, 9,12-epoxyoctadeca-9,11-dienoic acid, furanoid fatty acid, potassium permanganate oxidation, 289

- fatty esters, boron trifluoride, cyclization, 2,2'-oxirane, epoxy, tetrahydropyran, bicyclo ketal, 77
- Favorsky, deuterium, pristanic acid, quantitation, GCMS, phytanic acid, 141
- fluorescence, glycosaminoglycan, low density lipoprotein, electron spin resonance, liposome, 83
- fluorescence polarization, pressure effect, liposome, poly(γ -benzyl-L-glutamate), peptide-lipid interaction, 169
- furanoid fatty acid, 9,12-epoxyoctadeca-9,11-dienoic acid *erythro*-9,10-dihydroxy-12-oxooctadecanoic acid, potassium permanganate oxidation, 289
- ganglioside, 2,4-dinitrophenylhydrazide, high performance liquid chromatography, plasma desorption mass spectrometry, proton magnetic resonance spectrometry, 261
- GC-MS, cyclic fatty acid monomers, synthesis, 119
- GCMS, deuterium, pristanic acid, Favorsky, quantitation, phytanic acid, 141
- glycosaminoglycan, low density lipoprotein, electron spin resonance, fluorescence, liposome, 83
- head groups structure, phospholipids, cholecalciferol, differential scanning calorimetry, thermodynamic model, 69
- herbicide, mode of action, bimolecular lipid membrane, 91
- (6Z,9X)-6,9-hexacosadienoic acid, marine invertebrates, sponges, phospholipids, cholesterol, phase transition, 109
- high-performance liquid chromatography, ^{13}C -enriched cholesterol oleate, tritium-labeled cholesterol oleate, ^{13}C -nuclear magnetic resonance, 147
- high performance liquid chromatography, ganglioside, 2,4-dinitrophenylhydrazide, plasma desorption mass spectrometry, proton magnetic resonance spectrometry, 261
- homologous cephalines, phase diagrams, differential scanning calorimetry, mixing behaviour, miscibility gap, 245
- 3-hydroxy-3-methylglutaryl CoA reductase, 3β -acetoxy lanost-8-en-24-one, 24-ketolanosteryl acetate, lanost-8-en-3-ol-24-one, 24-ketolanosterol, oxysterol, oxylanosterol, 255
- 24-ketolanosterol, 3β -acetoxy lanost-8-en-24-one, 24-ketolanosteryl acetate, lanost-8-en-3-ol-24-one, oxysterol, oxylanosterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255
- 24-ketolanosteryl acetate, 3β -acetoxy lanost-8-en-24-one, lanost-8-en-3-ol-24-one, 24-ketolanosterol, oxysterol, oxylanosterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255
- 15-ketosterol, metabolism, chylomicrons, 29
- 15-ketosterol, sterol synthesis, 15-oxygenated sterol, 153
- Langmuir-Wilhelmy balance, lung surfactant, respreading of lipids, minimum surface tension, 59
- lanost-8-en-3-ol-24-one, 3β -acetoxy lanost-8-en-24-one, 24-ketolanosteryl acetate, 24-ketolanosterol, oxysterol, oxylanosterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255
- linoleic acid hydroperoxide, photolysis, structure of products, solvent effect, 281
- lipid hydroperoxide, luciferin, lipid peroxidation, chemiluminescence, site-specific reaction, 197
- lipid peroxidation, lipid hydroperoxide, luciferin, chemiluminescence, site-specific reaction, 197
- lipid X, thermodynamic properties, magnetic resonance techniques, micelle size, chain packing, effects of pH and ions, 267
- liposome, glycosaminoglycan, low density lipoprotein, electron spin resonance, fluorescence, 83
- liposome, pressure effect, fluorescence polarization, poly(γ -benzyl-L-glutamate), peptide-lipid interaction, 169
- liposomes, dimyristoylphosphatidylcholine, cyclosporin A, phase transition, 1
- low-density lipoproteins, electron spin resonance, differential scanning calorimetry, 135
- low density lipoprotein, glycosaminoglycan, electron spin resonance, fluorescence, liposome, 83
- luciferin, lipid hydroperoxide, lipid peroxidation, chemiluminescence, site-specific reaction, 197
- lung surfactant, Langmuir-Wilhelmy balance, respreading of lipids, minimum surface tension, 59
- magnetic resonance techniques, lipid X, thermodynamic properties, micelle size, chain packing, effects of pH and ions, 267
- marine invertebrates, sponges, phospholipids, (6Z,9Z)-6,9-hexacosadienoic acid, cholesterol, phase transition, 109
- metabolism, 15-ketosterol, chylomicrons, 29
- metastability, 1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, palmitic acid, X-ray diffraction, phase transition, phase diagram, 205
- micelle size, lipid X, thermodynamic properties, magnetic resonance techniques, chain packing, effects of pH and ions, 267
- minimum surface tension, lung surfactant, Langmuir-Wilhelmy balance, respreading of lipids, 59
- miscibility gap, phase diagrams, homologous cephalines, differential scanning calorimetry, mixing behaviour, 245
- mixing behaviour, phase diagrams, homologous cephalines, differential scanning calorimetry, miscibility gap, 245
- mode of action, herbicide, bimolecular lipid membrane, 91
- molecular conformation, crystal structure analysis, 1,2-diglycerides, 19
- Mycobacterium gastri*, phenolic glycolipid, 129
- nuclear magnetic resonance, 15-oxygenated sterols, synthesis, 7
- 2,2'-oxirane, boron trifluoride, cyclization, epoxy, fatty esters, tetrahydropyran, bicyclo ketal, 77
- 15-oxygenated sterols, synthesis, nuclear magnetic resonance, 7
- 15-oxygenated sterol, sterol synthesis, ketosterol, 153
- oxylanosterol, 3β -acetoxy lanost-8-en-24-one, 24-ketolanosteryl acetate, lanost-8-en-3-ol-24-one, 24-ketolanosterol, oxysterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255
- oxysterol, 3β -acetoxy lanost-8-en-24-one, 24-ketolanosteryl acetate, lanost-8-en-3-ol-24-one, 24-ketolanosterol, oxylanosterol, 3-hydroxy-3-methylglutaryl CoA reductase, 255
- palmitic acid, 1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, X-ray diffraction, phase transition, phase diagram, metastability, 205

- peptide-lipid interaction, pressure effect, liposome, fluorescence polarization, poly(γ -benzyl-L-glutamate), 169
- phase diagram, 1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, palmitic acid, X-ray diffraction, phase transition, metastability, 205
- phase diagrams, homologous cephalines, differential scanning calorimetry, mixing behaviour, miscibility gap, 245
- phase transition, 1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, palmitic acid, X-ray diffraction, phase diagram, metastability, 205
- phase transition, liposomes, dimyristoylphosphatidylcholine, cyclosporin A, 1
- phase transition, marine invertebrates, sponges, phospholipids, (6Z,9Z)-6,9-hexacosadienoic acid, cholesterol, 109
- phase transition, surfactant lipid-membrane interaction, dilauroylphosphatidic acid, vesicle, 189
- phenolic glycolipid, *Mycobacterium gastri*, 129
- phospholipids, cholecalciferol, differential scanning calorimetry, head groups structure, thermodynamic model, 69
- phospholipids, marine invertebrates, sponges, (6Z,9Z)-6,9-hexacosadienoic acid, cholesterol, phase transition, 109
- phospholipid synthesis, solvent and catalyst effects, 99
- photolysis, linoleic acid hydroperoxide, structure of products, solvent effect, 281
- phytanic acid, deuterium, pristanic acid, Favorsky, quantitation, GCMS, 141
- plasma desorption mass spectrometry, ganglioside, 2,4-dinitrophenylhydrazide, high performance liquid chromatography, proton magnetic resonance spectrometry, 261
- poly(γ -benzyl-L-glutamate), pressure effect, liposome, fluorescence polarization, peptide-lipid interaction, 169
- polymerizable, tubule-forming phospholipid, differential scanning calorimetry, thermotropic phase behavior, 215
- potassium permanganate oxidation, 9,12-epoxyoctadeca-9,11-dienoic acid, *erythro*-9,10-dihydroxy-12-oxooctadecanoic acid, furanoid fatty acid, 289
- pressure effect, liposome, fluorescence polarization, poly(γ -benzyl-L-glutamate), peptide-lipid interaction, 169
- pristanic acid, deuterium, Favorsky, quantitation, GCMS, phytanic acid, 141
- proton magnetic resonance spectrometry, ganglioside, 2,4-dinitrophenylhydrazide, high performance liquid chromatography, plasma desorption mass spectrometry, 261
- quantitation, deuterium, pristanic acid, Favorsky, GCMS, phytanic acid, 141
- respreading of lipids, lung surfactant, Langmuir-Wilhelmy balance, minimum surface tension, 59
- site-specific reaction, lipid hydroperoxide, luciferin, lipid peroxidation, chemiluminescence, 197
- solvent and catalyst effects, phospholipid synthesis, 99
- solvent effect, linoleic acid hydroperoxide, photolysis, structure of products, 281
- sponges, marine invertebrates, phospholipids, (6Z,9Z)-6,9-hexacosadienoic acid, cholesterol, phase transition, 109
- sterol synthesis, 15-ketosterol, 15-oxygenated sterol, 153
- structure of products, linoleic acid hydroperoxide, photolysis, solvent effect, 281
- surfactant lipid-membrane interaction, dilauroylphosphatidic acid, vesicle, phase transition, 189
- synthesis, cyclic fatty acid monomers, GC-MS, 119
- synthesis, deoxy-headgroup analogues, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1'-3'-propanediol), 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-propanol, 2,3-diphytanyl-*sn*-glycerol-1-phosphoryl-1'-(1',3'-propanediol-3'-phosphate), 177
- synthesis, 15-oxygenated sterols, nuclear magnetic resonance, 7
- tetrahydropyran, boron trifluoride, cyclization, 2,2'-oxirane, epoxy, fatty esters, bicyclo ketal, 77
- thermodynamic model, phospholipids, cholecalciferol, differential scanning calorimetry, head groups structure, 69
- thermodynamic properties, lipid X, magnetic resonance techniques, micelle size, chain packing, effects of pH and ions, 267
- thermotropic phase behavior, differential scanning calorimetry, polymerizable, tubule-forming phospholipid, 215
- tritium-labeled cholesterol oleate, ^{13}C -enriched cholesterol oleate, high-performance liquid chromatography, ^{13}C -nuclear magnetic resonance, 147
- vesicle, surfactant lipid-membrane interaction, dilauroylphosphatidic acid, phase transition, 189
- X-ray diffraction, 1,2-dipalmitoyl-*sn*-glycero-3-phosphorylcholine, palmitic acid, phase transition, phase diagram, metastability, 205



Author Index

Volume 48 (1988)

Alaiz, M.	289	Inoue, T.	189
Almog, S.	231	Iwanaga, T.	189
Ando, S.	261	Izumi, A.	29
Arnold, K.	83		
Ayanoglu, E.	109	Johnson, D.W.	141
Azizova, O.A.	83		
		Kan, L.-S.	261
Bor, A.	231	Kates, M.	177
Brezesinski, G.	245	Keough, K.M.W.	59
Brnjas-Kraljevic, J.	135	Kishimoto, Y.	261
Burke, T.G.	215	Kisic, A.	7,29
		Knipping, G.	135
Cambria, A.	69	Koynova, R.D.	205
Castelli, F.	69	Krumbiegel, M.	83
Chitrakorn, S.	255		
Christophe, A.	29	Laggner, P.	205
Chu, A.J.	29	Le Quéré, J.L.	119
		Lei Ken Jie, M.S.F.	77
Dalziel, A.W.	215	Li, H.	109
Deev, A.I.	83	Lichtenberg, D.	231
Demel, R.A.	267	Linsel, G.	91
Demirev, P.	261	Lipka, G.	135,267
Djerassi, C.	109		
Dörfler, H.-D.	245	Mangroo, D.	99
Dorset, D.L.	19	Maza, M.P.	289
Düzgünes, N.	109	Miethe, P.	245
		Miki, M.	197
Fagan, S.M.	59	Millán, F.	289
Fenselau, C.	261	Miller, L.R.	153
Firl, J.	281	Mino, M.	197
Fournié, J.-J.	129	Miyazaki, K.	261
Fujii, T.	197	Müller, K.	135
Fukushima, K.	189		
Fukuzawa, K.	197	Nir, S.	231
Gerber, G.E.	99	Pajewski, T.N.	153
Grosch, W.	281	Panasenko, O.	83
Gurrieri, S.	69	Pangborn, W.A.	19
		Parish, E.J.	255
Hattenbach, A.	91	Pifat, G.	135
Hauser, H.	267	Pinkerton, F.D.	153
Herak, J.N.	135	Poulos, A.	141
Herrmann, K.	83	Price, R.R.	215
Hidalgo, F.J.	289	Puzo, G.	129
Higashi, Y.	169		
Honda, H.	255	Quinn, P.J.	205

Raudino, A.	69	Takauchi, K.	197
Rivière, M.	129	Tamai, H.	197
Rudolph, A.S.	215	Tamura, K.	169
		Tanaka, T.	261
Schieberle, P.	281	Taylor, F.R.	255
Schoen, P.E.	215	Tenchov, B.G.	205
Schroepfer Jr., G.J.	7,29,153	Trebert, Y.	281
Sédédio, J.L.	119		
Sheridan, J.P.	215	Vatèle, J.M.	119
Sherrill, B.C.	29	Vercellone, A.	129
Shimozawa, R.	189	Vioque, E.	289
Singh, A.	215	Volnova, T.	83
Smith, I.C.P.	177		
Sripada, P.K.	147	Wang, K.-S.	7
Stanacev, N.Z.	1	Werker, E.	231
Stewart, L.C.	177	Wilson, W.K.	7
Stoskopf, M.	261	Yoshimura, T.	197
Stuhne-Sekalec, L.	1		
Suezaki Y.	189	Zamora, R.	289
Suzuki, A.	169	Zheng, Y.F.	77
		Zschoernig, O.	83



